

### Listino Oyaide 2024

Item description	Model name	Amount	Euro	Remarks
<b>Schuko AC Plug</b>				
SCHUKO Power plug (non plating)	P-029e (Schuko)	Pc	<b>152</b>	Non-plated Brass pin
SCHUKO Power plug (silver/rhodium plating)	P-037e (Schuko)	Pc	<b>180</b>	Oxidized phospor bronze pin
SCHUKO Power plug (gold/palladium plating)	P-046e (Schuko)	Pc	<b>189</b>	Oxidized phospor bronze pin
SCHUKO Power plug (gold plating)	P-079e (Schuko)	Pc	<b>186</b>	Oxidized phospor bronze pin
SCHUKO Power plug (platinum/palladium plating)	P-004e (Schuko)	Pc	<b>421</b>	Beryllium copper pin
SCHUKO Power plug (platinum/palladium plating)	M1e (Schuko)	Pc	<b>711</b>	Beryllium copper pin
<b>IEC60320-C15 Connector (15A 125V/10A 250V)</b>				
IEC60320- C15 connector (non-plating)	C-029	Pc	<b>95</b>	Non-plated Brass blade
IEC60320-C15 connector (silver/rhodium plating)	C-037	Pc	<b>113</b>	Oxidized phospor bronze blade
IEC60320 C-15 connector (gold/palladium plating)	C-046	Pc	<b>121</b>	Oxidized phospor bronze blade
IEC60320-C15 connector (gold plating)	C-079	Pc	<b>116</b>	Oxidized phospor bronze blade
IEC60320-C15 connector (platinum/palladium plating)	C-004	Pc	<b>154</b>	Beryllium copper blade
IEC60320-C15 connector (platinum/palladium plating)	F1	Pc	<b>449</b>	Beryllium copper blade
<b>IEC60320-C19 Connector (20A 125V/16A 250V)</b>				
IEC60320-C19 connector (silver/rhodium plating)	C-237	Pc	<b>129</b>	Oxidized phospor bronze blade
IEC60320-C19 connector (gold/palladium plating)	C-246	Pc	<b>137</b>	Oxidized phospor bronze blade
IEC60320-C19 connector (gold plating)	C-279	Pc	<b>134</b>	Oxidized phospor bronze blade
IEC60320-C15 connector (platinum/palladium plating)	<b>F1-20A</b>	Pc	<b>476</b>	Beryllium copper blade
<b>IEC60320-C14 Male Inlet</b>				
Panel mounted IEC Male Inlet (IEC60320-C14)	Power Inlet PP	Pc	<b>72</b>	Oxidized phospor bronze blade, Plutinium/paladium plating
<b>Schuko AC Wall outlet</b>				
SCHUKO Wall Outlet (gold plating)	SWD-GX-E (Schuko)	Pc	<b>146</b>	
SCHUKO Wall Outlet (gold/palladium plating)	SWD-XXX-E (Schuko)	Pc	<b>153</b>	
<b>Schuko Power Distributor</b>				
Schuko Power Distributor (4 outlets)	MTS-4e (Schuko)	Pc	<b>954</b>	w/4 SWD-XXX-E
Schuko Power Distributor (6 outlets)	MTS-6e (Schuko)	Pc	<b>1.277</b>	w/6 SWD-XXX-E
Schuko Power Distributor (4 outlets)	MTS-4e SSE (Schuko)	Pc	<b>1.443</b>	w/4 SWD-XXX-E, 2.0mm Silver wire
Schuko Power Distributor (6 outlets)	MTS-6e SSE (Schuko)	Pc	<b>1.976</b>	w/6 SWD-XXX-E, 2.0mm Silver wire
<b>Schuko AC Power Cord</b>				
Schuko Power cord-1.8m	TUNAMI GPXe V2(Schuko)	Pc	<b>550</b>	w/P/C-046e
Schukok Power cord-1.8m	TUNAMI GPX-Re V2(Schuko)	Pc	<b>849</b>	w/P/C-004e
Schukok Power cord-1.8m (Limited offering)	<b>VONDITA-Xe</b>	Pc	<b>1.740</b>	Special connectors
<b>RCA Interconnect cable</b>				
RCA Interconnect cable	PA-02 TR V2 0.7m	Pr	<b>158</b>	
RCA Interconnect cable	PA-02 TR V2 1.0m	Pr	<b>173</b>	
RCA Interconnect cable	PA-02 TR V2 1.3m	Pr	<b>188</b>	
RCA Interconnect cable	ACROSS 750 RR V2 0.7m	Pr	<b>202</b>	
RCA Interconnect cable	ACROSS 750 RR V2 1.0m	Pr	<b>223</b>	
RCA Interconnect cable	ACROSS 750 RR V2 1.3m	Pr	<b>243</b>	
RCA Interconnect cable	<b>TUNAMI TERZO RR V2 0.7m</b>	Pr	<b>474</b>	
RCA Interconnect cable	<b>TUNAMI TERZO RR V2 1.0m</b>	Pr	<b>530</b>	
RCA Interconnect cable	<b>TUNAMI TERZO RR V2 1.3m</b>	Pr	<b>573</b>	
RCA Silver Interconnect cable	AZ-910 0.7m	Pr	<b>970</b>	
RCA Silver Interconnect cable	AZ-910 1.0m	Pr	<b>1.114</b>	
RCA Silver Interconnect cable	AZ-910 1.3m	Pr	<b>1.258</b>	

<b>XLR Interconnect cable</b>				
XLR Interconnect cable	PA-02 TX V2 0.7m	Pr	212	
XLR Interconnect cable	PA-02 TX V2 1.0m	Pr	230	
XLR Interconnect cable	PA-02 TX V2 1.3m	Pr	248	
XLR Interconnect cable	ACROSS 900 XX V2 0.7m	Pr	323	
XLR Interconnect cable	ACROSS 900 XX V2 1.0m	Pr	362	
XLR Interconnect cable	ACROSS 900 XX V2 1.3m	Pr	401	
XLR Interconnect cable	<b>TUNAMI TERZO XX V2 0.7m</b>	Pr	<b>575</b>	
XLR Interconnect cable	<b>TUNAMI TERZO XX V2 1.0m</b>	Pr	<b>625</b>	
XLR Interconnect cable	<b>TUNAMI TERZO XX V2 1.3m</b>	Pr	<b>658</b>	
XLR Silver Interconnect cable	AR-910 0.7m	Pr	970	Single price will be 65% of the pair
XLR Silver Interconnect cable	AR-910 1.0m	Pr	1.114	Single price will be 65% of the pair
XLR Silver Interconnect cable	AR-910 1.3m	Pr	1.258	Single price will be 65% of the pair
<b>Phono cable</b>				
5 Pin DIN-RCA Phono cable w/ground cable	PA-2075 DR V2 1.2m	Pc	360	※No Extension
RCA-RCA Phono cable w/ground cable	PA-2075 RR V2 1.0m	Pc	315	※No Extension
RCA-RCA Phono cable w/ground cable for MM cartridge	PH-01RR 1.0m	Pc	174	※No Extension, w/1.1m ground cable
<b>Banana Speaker cable</b>				
Banana plug Speaker cable	Across 3000 SGB 1.5m	Pr	557	
Banana plug Speaker cable	Across 3000 SGB 2.0m	Pr	618	
Banana plug Speaker cable	Across 3000 SGB 2.5m	Pr	667	
Banana plug Speaker cable	Across 3000 SGB 3.0m	Pr	740	
Banana plug Speaker cable	TUNAMI II SP-B V2 1.5m	Pr	800	
Banana plug Speaker cable	TUNAMI II SP-B V2 2.0m	Pr	889	
Banana plug Speaker cable	TUNAMI II SP-B V2 2.5m	Pr	979	
Banana plug Speaker cable	TUNAMI II SP-B V2 3.0m	Pr	1.069	
<b>Spade lug Speaker cable</b>				
Spade lug speaker cable	Across 3000 SGY 1.5m	Pr	557	
Spade lug speaker cable	Across 3000 SGY 2.0m	Pr	618	
Spade lug speaker cable	Across 3000 SGY 2.5m	Pr	667	
Spade lug speaker cable	Across 3000 SGY 3.0m	Pr	740	
Spade lug speaker cable	TUNAMI II SP-Y V2 1.5m	Pr	844	
Spade lug speaker cable	TUNAMI II SP-Y V2 2.0m	Pr	934	
Spade lug speaker cable	TUNAMI II SP-Y V2 2.5m	Pr	1.024	
Spade lug speaker cable	TUNAMI II SP-Y V2 3.0m	Pr	1.114	
<b>RCA Digital cable (75 Ohm S/PDIF)</b>				
RCA 75Ω Digital cable	DST-75R V2 0.7m	Pc	103	※No Extension, 102SSC
RCA 75Ω Digital cable	DST-75R V2 1.0m	Pc	114	※No Extension, 102SSC
RCA 75Ω Digital cable	DST-75R V2 1.3m	Pc	126	※No Extension, 102SSC
RCA 75Ω Digital 5N Silver cable	<b>DR-510 0.7m</b>	Pc	<b>313</b>	5N silver
RCA 75Ω Digital 5N Silver cable	<b>DR-510 1.0m</b>	Pc	<b>348</b>	5N silver
RCA 75Ω Digital 5N Silver cable	<b>DR-510 1.3m</b>	Pc	<b>383</b>	5N silver
<b>BNC 75 Ohm Digital cable</b>				
BNC 75Ω Digital 5N Silver cable	<b>DB-510 0.7m</b>	Pc	<b>313</b>	5N silver
BNC 75Ω Digital 5N Silver cable	<b>DB-510 1.0m</b>	Pc	<b>348</b>	5N silver
BNC 75Ω Digital 5N Silver cable	<b>DB-510 1.3m</b>	Pc	<b>383</b>	5N silver
<b>USB 2.0 cable (Type A to Type B)</b>				
5N Silver USB 2.0 cables	Continental 5S V2 0.6m	Pc	369	※No Extension
5N Silver USB 2.0 cables	Continental 5S V2 1.2m	Pc	462	※No Extension
5N Silver USB 2.0 cables	Continental 5S V2 1.8m	Pc	555	※No Extension

<b>Bulk Interconnect Cable (Reel)</b>				
Coaxial cable (75Ω)	DST-75 V2 (50m reel)	spool (50m)	<b>1.294</b>	1.05mm
Balanced Interconnect cable (110Ω)	PA-02 V2 (50m reel)	spool (50m)	<b>1.213</b>	0.75sq.
Interconnect cable	ACROSS 750 V2 (50m reel)	spool (50m)	<b>1.778</b>	0.75sq.
Double Shielding Interconnect cable	ACROSS 900 V2 (50m reel)	spool (50m)	<b>3.234</b>	1.0sq.
Balanced Interconnect cable (110Ω)	TUNAMI TERZO V2 (50m reel)	spool (50m)	<b>3.600</b>	1.25sq.
Parallel interconnect cable w/earth cable for turntable	PA-2075 V2 (50m reel)	spool (50m)	<b>2.970</b>	Twin sheilded wires(0.5sq.) and ground wire
<b>Bulk Speaker Cable (Reel)</b>				
Parallel speaker cable	EXPLORER 0.75 V2 (100m reel)	spool (100m)	<b>970</b>	0.75sq.
Parallel speaker cable	EXPLORER 1.25 V2 (50m reel)	spool (50m)	<b>809</b>	1.25sq.
Parallel speaker cable	EXPLORER 2.0 V2 (50m reel)	spool (50m)	<b>1.213</b>	2.0sq.
Parallel speaker cable	ACROSS 3000 (30m reel)	spool (30m)	<b>1.940</b>	3.0sq.
Twinax Speaker cable	TUNAMI NIGO V2 (30m reel)	spool (30m)	<b>2.910</b>	5.5sq.
<b>Bulk Power Cable (Reel)</b>				
Power cable	Black Mamba V2 by NEO	spool (30m)	<b>2.588</b>	3.5sq. (102 SSC)
Power cable	<b>VONDITA (30m)</b>	spool (30m)	<b>6.480</b>	4.0sq (102SSC Special)
Power cable	TUNAMI V2 (30m reel)	spool (30m)	<b>3.300</b>	5.5sq. (Triplex)
<b>Bulk In-wall Power Cable (Reel)</b>				
In-Wall Power cable(Triplex)	EE/F-S 2.0 V2 (100m reel)	spool (100m)	<b>7.599</b>	2.0mm
In-Wall Power cable(Triplex)	EE/F-S 2.6 V2 (100m reel)	spool (100m)	<b>12.612</b>	2.6mm
In-Wall Power cable (Duplex)/Single-Core Speaker cable	FF-20 V2 (100m reel)	Spool(100m)	<b>4.851</b>	2.0mm(Duplex)
<b>Bulk Pure Silver Digital Cable (Reel)</b>				
5N Silver coaxial cable (75Ω)	FTVS-510 (50m reel)	spool (50m)	<b>5.400</b>	1.05mm conductor
5N Silver Twinax cable (110Ω)	FTVS-910 (50m reel)	spool (50m)	<b>13.026</b>	Twinax 1.05mm conductro
<b>Hookup Wire (Reel)</b>				
Hookup Wire (AWG22)	3398-22 BK (100m reel)	spool (100m)	<b>324</b>	UL-3398 series
Hookup Wire (AWG22)	3398-22 WT (100m reel)	spool (100m)	<b>324</b>	UL-3398 series
Hookup Wire (AWG18)	3398-18 BK (100m reel)	spool (100m)	<b>647</b>	UL-3398 series
Hookup Wire (AWG18)	3398-18 WT (100m reel)	spool (100m)	<b>647</b>	UL-3398 series
Hookup Wire (AWG16)	3398-16 BK (100m reel)	spool (100m)	<b>970</b>	UL-3398 series
Hookup Wire (AWG16)	3398-16 WT (100m reel)	spool (100m)	<b>970</b>	UL-3398 series
Shielded Hookup Wire (AWG20)	3398-SY (100m reel)	spool (100m)	<b>1.132</b>	3398 series, only black color
<b>Hookup Wire (AWG14)</b>	<b>3398-14-BK (100m reel)</b>	spool (100m)	<b>1.869</b>	3398 series, only black color
<b>Cut Cable (per meter)</b>				
Interconnect cable	ACROSS 750 V2 (per meter)	meter	<b>40</b>	0.75sq.
Double Shielding Interconnect cable	ACROSS 900 V2 (per meter)	meter	<b>73</b>	1.0sq.
Twinax Interconnect cable (110Ω)	TUNAMI TERZO V2 (per meter)	meter	<b>79</b>	1.25sq.
Parallel interconnect cable w/earth wire for turntable	PA-2075 V2 (per meter)	meter	<b>64</b>	Twin sheilded wires(0.5sq.) and ground wire
5N Silver coaxial cable (75Ω)	FTVS-510 (per meter)	meter	<b>123</b>	1.05mm conductor
5N Silver Twinax cable (110Ω)	FTVS-910 (per meter)	meter	<b>297</b>	Twinax 1.05mm conductro
Parallel speaker cable	ACROSS 3000 (per meter)	meter	<b>71</b>	3.0sq. ( Parallel)
Twinax Speaker cable	TUNAMI NIGO V2 (per meter)	meter	<b>106</b>	5.5sq.(Twinax)
Power cable (Triplex)	TUNAMI V2 (per meter)	meter	<b>120</b>	5.5sq. (Triplex)
Power cable (Triplex)	<b>VONDITA (per meter)</b>	meter	<b>240</b>	
Power cable (Triplex)	Black Mamba V2 by NEO (per meter)	meter	<b>97</b>	3.5sq. (102 SSC-Triplex)
In-Wall Power cable(Triplex)	EE/F-S 2.0 V2 (per meter)	meter	<b>93</b>	2.0mm (Minimum order unit 10m)
In-Wall Power cable(Triplex)	EE/F-S 2.6 V2 (per meter)	meter	<b>154</b>	2.6mm (Minimum order unit 10m)
In-Wall Power cable (Duplex)/Single-Core Speaker cable	FF-20 V2 (per meter)	meter	<b>60</b>	2.0mm(Duplex):(Minimum order unit 10m)

<b>Audio Terminal Plugs</b>				
Silver pin RCA plug set	SLSC	set(4pcs)	<b>470</b>	up to 9mm O/D cable
Collect Chuck Locking RCA plug set (platinum/rhodium plating)	GENESIS	set(4pcs)	<b>316</b>	up to 9mm O/D cable
Silver pin 75 Ohm BNC connector set	SLSB	set(2pcs)	<b>230</b>	up to 9mm O/D cable
Spade Lug set (silver/palladium plating)	SPYT	Set(4pcs)	<b>68</b>	up tp 10sq. Cable
Spade Lug set (gold plating)	GYT	Set(4pcs)	<b>68</b>	up tp 10sq. Cable
Spade Lug w/screw clamp set (silver/platinum plating)	SPSL	Set(4pcs)	<b>347</b>	up tp 5.5sq. Cable
Spade Lug w/screw clamp set (silver/gold plating)	<b>SGSL</b>	Set(4pcs)	<b>140</b>	up tp 5.5sq. Cable
Banana plug w/screw clamp set (silver/rhodium plating)	SRBN	Set(4pcs)	<b>272</b>	up tp 5.5sq. Cable
Banana plug w/screw clamp set (silver/gold plating)	<b>SGBN</b>	Set(4pcs)	<b>140</b>	up tp 5.5sq. Cable
XLR Connector set (silver/rhodium plating)	FOCUS 1	Set(2M+2F)	<b>468</b>	6.0mm-12.0mm O/D cable

<b>DC Power plugs</b>				
2.1mm DC plug (gold plating)	DC-2.1G	Pc	<b>26</b>	(Akihabara shop exclusive-Limited supply)For 6mm O/D cable
2.5mm DC plug (gold plating)	DC-2.5G	Pc	<b>26</b>	(Akihabara shop exclusive-Limited supply)For 6mm O/D cable

<b>Faston Terminals</b>				
Faston terminal (gold plating)	FTL-G	set (8pcs)	<b>14</b>	For 2.0-3.5sq. (AWG14-12)
Faston terminal (silver/rhodium plating)	FTL-SR	set (4pcs)	<b>16</b>	For 2.0-3.5sq. (AWG14-12)
Faston terminal (platinum/palladium plating)	FTL-PP	set (4pcs)	<b>16</b>	For 2.0-3.5sq. (AWG14-12)

<b>Turntable Accessory</b>				
Head Shell (w/ 5N Silver headshell wire set)	HS-CF	Set	<b>315</b>	w/HSR-AG
5N Silver headshell wire set	HSR-AG	Set(4pcs)	<b>62</b>	
102SSC Headshell wire set	HSR-102	Set(4pcs)	<b>29</b>	24K gold plated terminal
Vinyl Stabilizer (Medium weight)	STB-MSX	pc	<b>291</b>	Weight : 200-440g
Vinyl Stabilizer (Large Weight)	STB-HWX	pc	<b>323</b>	Weight : 240-790g
Multi-use Carbon Insulator Pipe set for STB-MSX	STB-CM-4	Set(4pcs)	<b>84</b>	For STB-MSX (weight: 4g per pc)
Multi-use Carbon Insulator Pipe set for STB-MSX	STB-CM-6	Set(6pcs)	<b>116</b>	For STB-MSX (weight: 4g per pc)
Butyl Rubber Turntable Mat	BR-One	Pc	<b>39</b>	1.0mm thickness
Butyl Rubber Turntable Mat	BR-12	Pc	<b>97</b>	5.0mm thickness
Height-adjustable Carbon Cartridge Spacer Set	MCS-CF	Set (3 kinds of set)	<b>74</b>	Thickness : 0.5mm, 1.0mm, 1.5mm
7" Vinyl Adaptor with leveler	STB-EP	pc	<b>73</b>	
M2.5 phono cartridge screw set w/carbon graphite nylon washer	SCR-S	set	<b>49</b>	M2.5 6mm/8mm/10mm x 2 each
M2.5 phono cartridge screw set w/carbon graphite nylon washer	SCR-L	set	<b>49</b>	M2.5 12mm/14mm/17mm x 2 each
Turntable silver grounding wire with spade lug	GND-47 .1.3m	pc	<b>162</b>	w/gold plated 5.5mm spade lugs

<b>Insulators</b>				
Brass Spikes Insulator for old type OCB-1 series	OSP	Set(4pcs)	<b>16</b>	For older-OCB-1 series
Brass Spikes for OCB-1 series	OSP-SC	Set(4pcs)	<b>13</b>	For new OCB-1 series
Stainless-steel Spikes for OCB-1 series	OSP-SS	Set(4pcs)	<b>29</b>	For new OCB-1 series
Granite Stone Base for OCB-1 series	OCB-BS	Pc		
Brass Insulator	INS-BS	Set(4 pcs)	<b>135</b>	
Carbon Insulator	INS-CFX	Set(4 pcs)	<b>162</b>	
Stainless-steel Insulator	INS-SP	Set(4pcs)	<b>29</b>	
Stainless-steel Insulator	INS-US	Set(4pcs)	<b>41</b>	
Hematite(Black Diamond) Insulator	INS-BD	Set(4pcs)	<b>90</b>	
Smoky Quartz Insulator	INS-SQ	Set(4pcs)	<b>90</b>	

<b>Solder Reel (Reel)</b>				
Solder reel 1.0mm O/D (50g)	SS-47 50g	Reel (50g)	<b>50</b>	Melting point : 217 Ce. (423 Fa.)
Solder reel 1.0mm O/D (100g)	SS-47 100g	Reel (100g)	<b>81</b>	Melting point : 217 Ce. (423 Fa.)
Solder reel 1.0mm O/D (500g)	SS-47 500g	Reel (500g)	<b>360</b>	Melting point : 217 Ce. (423 Fa.)
Solder reel 1.0mm O/D (1Kg)	SS-47 1000g	Reel (1kg)	<b>702</b>	Melting point : 217 Ce. (423 Fa.)
Solder reel 0.6mm O/D (20g)	SS-47 0.6mm 20g	Reel (20g)	<b>33</b>	Melting point : 217 Ce. (423 Fa.)

<b>EMI Absorption sheet</b>				
Non-magnetic Noise Absorption Tape (Pulshut tape)	<b>NRF-005T</b>	Pc	<b>126</b>	
EMI Absorption sheet	MWA-030L	Pc	<b>121</b>	
EMI Absorption sheet	MWA-030M	Pc	<b>65</b>	
EMI Absorption sheet	MWA-030S	Pc	<b>39</b>	
EMI Absorption sheet ( Thick type)	MWA-100S	Pc	<b>59</b>	
EMI Absorption Tape	MWA-010T	Reel (5m)	<b>90</b>	
EMI Absorption JIS 2 pole AC Outlet Cap	MWA-EC	set(4pcs)	<b>20</b>	※ only available for JIS 2&3 pole outlet
EMI Absorption RCA Jack Cap	MWA-RC	set(6pcs)	<b>16</b>	Female RCA jack cover